

WHAT IS CLAIMED IS:

5

1. A head slider for a magnetic disk  
lifted above the magnetic disk by airflow generated  
by rotation of the magnetic disk, said head slider  
comprising:

10

an airflow guide part that guides the  
airflow along a disk-facing surface of said head  
slider toward sides of the disk-facing surface.

15

2. The head slider as claimed in claim 1,  
wherein the airflow guide part is formed to extend  
in directions each inclined at an angle with respect  
to a flow direction of the airflow.

20

25

3. The head slider as claimed in claim 1,  
wherein the airflow guide part includes a capturing  
part that captures dust included in the airflow.

30

4. The head slider as claimed in claim 1,  
wherein the airflow guide part comprises:

a first guide part formed to extend from  
the vicinity of the center of the disk-facing  
surface to both sides of the disk-facing surface;  
and

35

a pair of second guide parts formed on opposing side surfaces of said head slider and continuing with said first guide part.

5

5. The head slider as claimed in claim 4, wherein the first and second guide parts are formed to extend in respective directions each inclined at an angle with respect to a flow direction of the airflow.

15

6. The head slider as claimed in claim 4, wherein one of the first and second guide parts includes a capturing part that captures dust included in the airflow.

25

7. The head slider as claimed in claim 1, wherein the airflow guide part comprises:

a first guide groove formed to extend from the vicinity of the center of the disk-facing surface toward both sides of the disk-facing surface; and

30

a pair of second guide grooves formed on opposing side surfaces of said head slider and communicating with said first guide groove.

35

8. The head slider as claimed in claim 7,  
wherein one of the first and second guide grooves  
includes a capturing groove that captures dust  
included in the airflow, and the capturing groove is  
5 formed deeper than the first and second guide  
grooves.

10

9. The head slider as claimed in claim 7,  
wherein, in the first guide groove, an inflow-side  
wall along which the airflow flowing along the disk-  
facing surface enters the first guide groove is an  
15 inclined surface, and an outflow-side wall along  
which the airflow flowing along the disk-facing  
surface is discharged is a vertical surface.